



CV-90 COMPATIBLE CBRN GAS FILTER



PF-90 PYROTECHNIC TYPE KBRN FILTRATION SYSTEM

Nero Defense CBRN Composite Filter at NATO standard AEP54 provides protection against many toxic industrial chemicals as well as known chemical and biological warfare agents designed to complately with the performance specifications outlined in detail. Double-stage filtration systems are used in CBRN filtration systems. Hepa Filter; Filters parcticles larger than 0.3 micron. 99.997% filtration is provided by using acvated carbon. It has been tested and approved in the interna onally valid TNO laboratory. Out of CBRN attack usage, peace filter is provided in order to extend gas filter's lifetime.

TECHN		SDECIE	ICATIONS
IEGHN	IILAL	SPELIF	ICAHUNG

TECHNICAL SPECIFICATIONS			
Air Flow Rate	170 m³/h (100 cfm)		
Filter Efficiency	% 99.97 / 99.97		
Operating Temperature	-32°C — +49°C		
Storage Temperature	-40°C — +63°C		
Weight	17 ± 0,5 kg		
Dimensions	325 x 370 mm (Diameter x Height)		
Filters	HEPA filter for particule filtration Active carbon filter for gas filtration		
Number of personnel that can be protected by the system	10		
Approves	TNO		

MIL-STD-810

- Low Temperature Storage
- Low Temperature Operation
- High Temperature Storage
- High Temperature Operation
- Low Pressure(Altitude)
- Vibration

AECTP-400 Ed.3, Figür B-4)

- Shock (Prosedür I, Fonksiyonel Şok)
- * Shock Time: TD= 11ms
- * Max. Accelaration: TP= 40g
- * Shock Profile: Saw tooth
- Humidty

